



**IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR -
STAINLESS STEEL FRAME - H 850 MM - W 900 MM - R290**

MODEL: F76/251



Ventus

PRODUCT OPTIONS AND ACCESSORIES

- A12/092/Z1 Wire Shelf - Chrome - for M90 Bottle Cooler

PRODUCT FEATURES

- Reduced 850mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 117 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Twin double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

The V90 provides flexible storage of up to 117 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the stainless steel exterior cabinet blends seamlessly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, the energy-saving EcoSmart controller allows users to hold the bottle cooler in its most economical state, until it is required, and an energy-efficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

A/A FILE NUMBER:

ITEM NUMBER:



IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR -
STAINLESS STEEL FRAME - H 850 MM - W 900 MM - R290

MODEL: F76/251

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	500 mil
Height	850 mil
Weight	74.8 kg

SHIPPING DETAILS

Ship Width	96 cm
Ship Depth	58 cm
Ship Height	109 cm
Ship Weight	90 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	1.71 A	Number of Electrical Plugs	1
Electrical Volts	240V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	410 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	0.41 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Insulated	Yes
Capacity: Bottles	117	Number of Shelf Positions	29
Capacity (Volume)	185 l	Number of Shelves	2
Construction Materials	Stainless Steel	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Type of Lighting	LED
Defrost Method	Automatic	Temperature Maximum	6 °C
		Temperature Minimum	2 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025








IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR -
STAINLESS STEEL FRAME - H 850 MM - W 900 MM - R290

MODEL: F76/251

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025