lincat

LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 800 MM - 14 KW

MODEL: 0E8021



Ideal for where power to the kitchen is limited, the OE8020 has four 3.5kW induction zones. The Opus 800 4 Zone Induction Hob delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob. Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals, the hob is suitable for any busy commercial kitchen, large pubs and restaurants, large hospitals, school canteens, care homes and high volume production kitchens. The hob features an automatic pan detection function which cuts power when no pan is present, preventing harm to users and saving energy at the same time. Built to last, it also comes with multiple internal cooling fans and overheat protection.

Opus <mark>800</mark>

PRODUCT OPTIONS AND ACCESSORIES

- OA8956/C Lincat Opus 800 Free-standing Floor Stand with Castors for units W 800 mm
- OA8956 Lincat Opus 800 Free-standing Floor Stand with Legs for units W 800 mm
- OA8974/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors for units W 800 mm
- OA8974 Lincat Opus 800 Free-standing Pedestal with Doors and Legs for units W 800 mm

PRODUCT FEATURES

- Four 3.5kW, 270mm width induction zones
- Ideal for where power to the kitchen is limited
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Easy to change filter built into the base of the unit
- No open flames so no radiating heat reduce ambient temperature of kitchen for a more comfortable working temperature
- Delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob
- Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals

AIA FILE NUMBER:







LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 800 MM - 14 KW

MODEL: 0E8021

WEIGHTS & DIMENSIONS

| Width | 800 mil |
|--------|---------|
| Depth | 800 mil |
| Height | 308 mil |
| Weight | 48 kg |

| SHIPPING DETAILS | |
|--------------------------|--------------------------------|
| Ship Width | 90 cm |
| Ship Depth | 85 cm |
| Ship Height | 45 cm |
| Ship Weight | 52.8 kg |
| Ship Method | Small Parcel (FedEx, UPS, DHL) |
| Shipping Package Type | Pieces |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| Primary Energy Type | Electric |
|-------------------------------|---------------------|
| Electrical Amps Per Conductor | L1=22; L2=22; L3=22 |
| Electrical Total Amperage | 66 A |
| Electrical Volts | 400V |
| Electrical Total Wattage | 15200 W |
| Electrical Kilowatts | 15.2 kW |
| Electrical Phase | 3-Phase |

| Electrical Plug Type | Hardwired |
|--------------------------------------|------------------|
| Number of Electrical Plugs | Not Applicable |
| Electrical Connection Type | Direct Hardwired |
| Number of Electrical Conductor Wires | 1 |
| Dedicated Circuit Required | Yes |
| Electrical Remarks | Three |
| | |

| ADDITIONAL SPECIFICATIONS | |
|------------------------------------|-----------------|
| Construction Materials | Stainless Steel |
| Control Type | Electronic |
| Cooking Plate Finish Material Type | Ceran Glass |
| Number of Heating Zones | 4 |
| Number of Hot Top Burners | 4 |
| Number of Shelves | Not Applicable |
| Open or Sealed Burners | Not Applicable |
| Ventless Cooking Technology | No |

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025





MODEL: 0E8021

| SELECT COOKING EQUIPMENT | NUMBER OF | | POWER RATING | ARRANGE- MENT | WIDTH | DEPTH |
|------------------------------|-----------|---|---------------------|------------------|--------|--------|
| Induction Burner 1 | | 4 | 5.3 | Center | 270 mm | 270 mm |
| SELECT BASE EQUIPMENT | NUMBER OF | | CUBIC CAPACITY EACH | WIDTH | DEPTH | HEIGHT |
| Not Applicable For This Item | | | | | | |

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025

www.lincat.co.uk | p: +44 1522 875500



Whisby Road, Lincoln, LN6 3QZ, UK



MODEL: 0E8021

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025

