




ATHENA 6 R

SKU: 01000ATH3FRE

Refrigerated buffets with laminated wood structure. The ventilation grids of the compressor unit are cut directly into the wooden structure for elegant visual continuity. Upper plexiglass sneezeguard fixed. Well 26cm deep with drain cock. Static refrigeration of the well, gas R290. Digital thermostat (2°/ 8°) and lighting with LED. Two polyamide castors with brake included. Capacity 6 GN 1/1. GN pans on request.

| 6 GN 1/1 up to h.200 | 230V 367 W | Ø mm Ø75 | | |
|----------------------|---------------|-------------|-----|-----|
| GN | 4 | | .0. | 10. |



Optional/Options

OPT. 3 EN



Laminated wood folding dish-holder on short side



Foldable dish holder short side - Stainless steel



Tube st.steel dishholder on short side



Full lower closure w/doors



OPT. 5 EN

Removable display grid

OPT. 6 EN



Wooden folding dishholder

OPT. 7 EN



Folding S/steel tube trayholder

OPT. 8 EN



Foldable tray slide

OPT. 9-A EN



Removable long tray slide on short side in laminated wood

OPT. 9-TUBA EN



Removable long tray slide on short side in stainless steel tube

OPT. 9-SSTA EN



Removable long tray slide on short side in stainless steel

OPT. 9-C EN



Removable tray slide on short side in laminated wood, for wall leaning

OPT. 9C-TUBA EN



Removable tray slide on short side in stainless steel tube, for wall leaning

OPT. 9C-SSTA EN



Removable tray slide on short side in stainless steel, for wall leaning

OPT. 10 EN



Reinforced 125mm. diam steel castors, 2 with brake

OPT. 11/FO EN



Surcharge for constrasting worktop in Formica color

OPT. 14/F EN



Intermediate floor, compartment mod. refrigerated

OPT. 15-F/LAM EN



Niche for refrigerated modules - Laminated wood

OPT. 15-F/FO EN



Niche for refrigerated modules - Formica

OPT. 16/LAM EN



Upper shelf top with increased depth and rear containing edge - Laminated wood

OPT. 16/FO EN



Upper shelf top with increased depth and rear containing edge - Formica



OPT. 17 EN

Intermediate custom module



OPT. 17CH EN

Custom head module



Feet



Aluminium coated PVC feet skirting

OPT. UK EN



Surcharge for UK plug

OPT. ADS EN



Customized adhesive sticker

OPT. HZ6 EN




Compressor 60Hz

OPT. 45CUT EN



45° cut for optional 6/7/8

Finiture/Finishes



LNV - VEINED BLACK



STANDARD - LAMINATED WOOD