SEAL Technical Specifications

				Overall				Single Phase	
Range	Туре	Model	Dime H	nsions (W	mm) D	Weight (kg)	Power (Watts)	Current @ 230V (Amps)	Page No.
		C6R/75BU							
650 Range Merchandisers - Curved-Front	Refrigerated	C6R/75SU	755	750	650 650	89 89	602 602	3	4
Jurved-From		C6R/100BU	755	1000	650	117	717	4	4
		C6R/100SU	755	1000	650	116	717	4 4	4
		C6R/125BU	755	1250	650	138	729	4	4
		C6R/125SU	755	1250	650	130	729	4	4
		C6R/105BR	755	1050	650	105	604	3	4
		C6R/105BL	755	1050	650	105	604	3	4
		C6R/105SR	755	1050	650	105	604	3	4
		C6R/105SL	755	1050	650	105	604	3	4
		C6R/130BR	755	1300	650	112	717	4	5
		C6R/130BL	755	1300	650	112	717	4	5
		C6R/130SR	755	1300	650	112	717	4	5
		C6R/130SL	755	1300	650	112	717	4	5
	Heated	C6H/75B	755	750	650	57	1520	7	6
	riedied	C6H/75S	755	750	650	57	1520	7	6
		C6H/100B		1000	650	70	2020	9	6
			755					9	
	Ampleinst	C6H/100S	755	1000	650	71	2020		6
	Ambient	C6A/75B	755	750	650	41	20	<1	7
		C6A/75S	755	750	650	42 51	20 20	<1	,
		C6A/100B C6A/100S	755	1000	650		20	<1	7
			755	1000	650	52		<1	
650 Range Merchandisers -	Refrigerated	D6R/75B	965	750	650	95	602	3	8
Rectangular-Front		D6R/75S	965	750	650	95	602	3	8
		D6R/100B	965	1000	650	123	717	4	8
		D6R/100S	965	1000	650	123	717	4	8
		D6R/125B	965	1250	650	150	729	4	8
		D6R/125S	965	1250	650	149	729	4	8
500 Range Merchandisers	Refrigerated	D5R/100B	575	1000	500	84	602	3	9
		D5R/100S	575	1000	500	84	602	3	9
		D5R/125B	575	1250	500	100	621	3	9
		D5R/125S	575	1250	500	100	621	3	9
	Heated	D5H/75B	575	750	500	42	1520	7	9
		D5H/75S	575	750	500	43	1520	7	9
		D5H/100B	575	1000	500	54	2020	9	9
		D5H/100S	575	1000	500	55	2020	9	9
350 Range Merchandisers	Refrigerated	D3R/100	575	1000	350	68	393	2	10
	Heated	D3H/75	575	750	350	34	770	4	10
Glass Cabinets	Ambient	GC36	490	600	350	23	n/a	n/a	11
		GC36D	490	600	350	27	n/a	n/a	1 11
		GC39	490						11
				900	350	32	n/a	n/a	11
		GC39D	490	900	350 350	32 38	n/a n/a	n/a n/a	
		GC39D GC46				32 38 28			11
		GC39D GC46 GC46D	490	900	350	32 38 28 34	n/a	n/a	11 11
ood Display Showcases	Refrigerated	GC39D GC46 GC46D SCR785	490 645 645 665	900 600 600 785	350 350 350 750	32 38 28 34 82	n/a n/a n/a 602	n/a n/a n/a 3	11 11 11 11 12-13
ood Display Showcases	Refrigerated	GC39D GC46 GC46D SCR785 SCR1085	490 645 645	900 600 600	350 350 350 750 750	32 38 28 34 82 101	n/a n/a n/a	n/a n/a n/a	11 11 11 11
ood Display Showcases	Refrigerated Heated	GC39D GC46 GC46D SCR785	490 645 645 665	900 600 600 785	350 350 350 750	32 38 28 34 82	n/a n/a n/a 602	n/a n/a n/a 3	11 11 11 11 12-13
ood Display Showcases		GC39D GC46 GC46D SCR785 SCR1085	490 645 645 665 665	900 600 600 785 1085	350 350 350 750 750	32 38 28 34 82 101	n/a n/a 602 621	n/a n/a n/a 3 3	11 11 11 12-13 12-13
Food Display Showcases		GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH785	490 645 645 665 665 665	900 600 785 1085 785	350 350 350 750 750 750	32 38 28 34 82 101 57	n/a n/a 602 621 1547	n/a n/a 3 3 7	11 11 11 12-13 12-13 12-13
	Heated	GC39D GC46 GC46D SCR785 SCR1085 SCH1085 SCH1085	490 645 645 665 665 665 665	900 600 785 1085 785 1085	350 350 750 750 750 750 750	32 38 28 34 82 101 57 72	n/a n/a 602 621 1547 2047	n/a n/a 3 3 7 9	11 11 11 12-13 12-13 12-13 12-13
	Heated	GC39D GC46 GC46D SCR785 SCR1085 SCH1085 SCH1085 FDB4	490 645 645 665 665 665 665 245	900 600 785 1085 785 1085 1085 1085	350 350 750 750 750 750 375	32 38 28 34 101 57 72 22	n/a n/a 602 621 1547 2047 175	n/a n/a 3 3 7 9 1	11 11 11 12-13 12-13 12-13 12-13 12-13 14-15
	Heated	GC39D GC46 GC46D SCR785 SCR1085 SCH785 SCH785 SCH1085 FDB4 FDB5	490 645 665 665 665 665 665 245 245	900 600 600 785 1085 785 1085 1045 1222	350 350 750 750 750 750 750 750 375 375	32 38 28 34 82 101 57 72 22 22 24	n/a n/a 602 621 1547 2047 175 175	n/a n/a 3 3 7 9 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15
	Heated	GC39D GC46 GC46D SCR785 SCR1085 SCH785 SCH1085 FD84 FD85 FD86	490 645 645 665 665 665 665 245 245 245	900 600 600 785 1085 785 1085 1045 1222 1399	350 350 750 750 750 750 750 375 375 375	32 38 28 34 82 101 57 72 22 24 24 25 29	n/a n/a 602 621 1547 2047 175 175 175	n/a n/a 3 3 7 9 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15
	Heated	GC39D GC46 GC46D SCR785 SCR1085 SCH1085 SCH1085 FD84 FD85 FD86 FD88	490 645 645 665 665 665 665 245 245 245 245	900 600 600 785 1085 785 1085 1045 1222 1399 1753	350 350 750 750 750 750 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 24 25	n/a n/a 602 621 1547 2047 175 175 175 175	n/a n/a 3 3 7 9 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15
-ood Display Bars	Heated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FDB4 FDB5 FDB6 FDB6 FDB8 FDB10	490 645 645 665 665 665 245 245 245 245 245 245	900 600 600 785 1085 1085 1045 1222 1399 1753 2107	350 350 750 750 750 750 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 24 25 29 32 25	n/a n/a 602 621 1547 2047 175 175 175 175 175 175	n/a n/a 3 3 7 9 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15
-ood Display Bars -ood Preparation Bars	Heated Refrigerated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCH785 SCH1085 FD84 FD85 FD86 FD86 FD88 FD810 FP85 FP87	490 645 645 665 665 245 245 245 245 245 245 245 245 262 262	900 600 600 785 1085 785 1045 1222 1399 1753 2107 1225 1580	350 350 750 750 750 750 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 32 25 29 29	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15
-ood Display Bars -ood Preparation Bars	Heated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FD85 FD84 FD85 FD86 FD86 FD88 FD810 FP85 FP87 LD2	490 645 645 665 665 245 245 245 245 245 245 245 245 245 262 262 262	900 600 600 785 1085 1045 1222 1399 1753 2107 1225 1580 790	350 350 350 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 32 25 29 18	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 7	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15
-ood Display Bars -ood Preparation Bars	Heated Refrigerated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCH1085 FD85 FD84 FD85 FD86 FD88 FD810 FP85 FP87 LD2 LD2 LD3	490 645 645 665 665 245 245 245 245 245 245 245 245 245 262 262 262 262 2562	900 600 785 1085 1085 1085 1085 1045 1222 1399 1753 2107 1225 1580 790 1130	350 350 750 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 32 25 29 32 25 29 18 24	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 7 10	11 11 11 12-13 12-13 12-13 12-13 14-15 16-17 16-17
Food Display Bars	Heated Refrigerated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FD84 FD85 FD84 FD85 FD86 FD88 FD86 FD88 FD810 FP85 FP87 LD2 LD2 LD3 LD4	490 645 645 665 665 245 245 245 245 245 245 245 245 262 262 262 562 562	900 600 785 1085 1085 1085 1045 1222 1399 1753 2107 1225 1580 790 1130 1470	350 350 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 32 25 29 32 25 29 18 24 30	n/a n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-17 16-17 16-17 16-17
-ood Display Bars -ood Preparation Bars	Heated Refrigerated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FDB4 FDB5 FDB6 FDB6 FDB8 FDB10 FPB5 FPB7 LD2 LD3 LD4 HB2	490 645 665 665 245 245 245 245 245 245 245 245 245 262 262 262 562 562 562	900 600 600 785 1085 785 1045 1222 1399 1753 2107 1225 1580 790 1130 1470 754	350 350 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 18 24 30 11	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 16-17 16-17 16-17 16-17
-ood Display Bars -ood Preparation Bars	Heated Refrigerated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCH785 SCH1085 FDB4 FDB5 FDB6 FDB8 FDB10 FPB5 FPB7 LD2 LD3 LD4 HB2 HB3	490 645 665 665 665 245 245 245 245 245 245 245 245 262 262 262 262 562 562 562 115	900 600 785 1085 1085 1045 1222 1399 1753 2107 1225 1580 790 1130 1470 754 1094	350 350 750 750 750 375 375 375 375 375 375 375 375 375 538 538 538 538 538	32 38 28 34 82 101 57 72 22 24 25 29 18 24 30 11 15	n/a n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-17 16-17 16-17 16-17 16-17 16-17 16-17
Food Display Bars Food Preparation Bars Heated Displays	Heated Refrigerated Refrigerated Heated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FD84 FD85 FD86 FD88 FD810 FP85 FP87 LD2 LD3 LD3 LD4 HB2 HB3 HB4	490 645 645 665 665 245 245 245 245 245 245 245 245 262 562 562 562 562 562 115 115	900 600 600 600 600 785 1085 1085 1045 1222 1399 1753 2107 1225 1580 1580 130 1470 754 1094 1434	350 350 750 750 750 375 375 375 375 375 375 375 375 538 538 538 538 538 531 531	32 38 28 34 82 101 57 72 22 24 25 29 32 25 29 32 25 29 18 24 30 11 15 19	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-17 16-17 16-17 16-17 16-17 16-17 16-17 16-17
-ood Display Bars -ood Preparation Bars	Heated Refrigerated Refrigerated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FD84 FD85 FD86 FD86 FD88 FD810 FP85 FP87 LD2 LD3 LD4 HB3 HB4 UM50/UM50D	490 645 645 665 665 245 245 245 245 245 245 245 245 245 262 262 262 262 562 562 562 562 562 56	900 600 785 1085 1085 1085 1085 1045 1222 1399 1753 2107 1225 1580 790 1130 1470 754 1094 1434 565	350 350 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 32 25 29 18 24 30 11 15 19 37	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-17 16-17 16-17 16-17 16-17 16-17 16-17 16-17 18
Food Display Bars Food Preparation Bars Heated Displays	Heated Refrigerated Refrigerated Heated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FD84 FD85 FD85 FD85 FD86 FD88 FD810 FP85 FP87 LD2 LD2 LD3 LD4 HB2 HB3 HB4 UM50/UM50D UMS50/UMS50D	490 645 645 665 665 245 245 245 245 245 245 245 245 262 262 262 262 262 562 562 562 115 115 115 780 780	900 600 785 1085 1085 1085 1045 1222 1399 1753 2107 1225 1580 790 1130 1470 754 1094 1434 565 565	350 350 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 18 24 30 11 15 19 37 37	n/a n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-17 16-17 16-17 16-17 16-17 18 18
Food Display Bars Food Preparation Bars Heated Displays	Heated Refrigerated Refrigerated Heated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FDB4 FDB5 FDB6 FDB8 FDB10 FPB5 FPB7 LD2 LD3 LD4 HB2 HB3 HB4 UM50/UM50D UMS50/UMC50D	490 645 645 665 665 245 245 245 245 245 245 245 245 245 24	900 600 785 1085 785 1085 1045 1222 1399 1753 2107 1225 1580 790 1130 1470 754 1094 1434 565 565 565	350 350 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 22 24 25 29 32 25 29 18 24 30 11 15 19 37 50	n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 175 175 17	n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 16-17 16-17 16-17 16-17 18 18 18
Food Display Bars Food Preparation Bars Heated Displays	Heated Refrigerated Refrigerated Heated	GC39D GC46 GC46D SCR785 SCR1085 SCR1085 SCH1085 FD84 FD85 FD85 FD85 FD86 FD88 FD810 FP85 FP87 LD2 LD2 LD3 LD4 HB2 HB3 HB4 UM50/UM50D UMS50/UMS50D	490 645 645 665 665 245 245 245 245 245 245 245 245 262 262 262 262 262 562 562 562 115 115 115 780 780	900 600 785 1085 1085 1085 1045 1222 1399 1753 2107 1225 1580 790 1130 1470 754 1094 1434 565 565	350 350 750 750 750 375 375 375 375 375 375 375 375 375 375	32 38 28 34 82 101 57 72 22 24 25 29 18 24 30 11 15 19 37 37	n/a n/a n/a 602 621 1547 2047 175 175 175 175 175 175 175 17	n/a n/a n/a 3 3 7 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 12-13 12-13 12-13 12-13 12-13 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-15 14-17 16-17 16-17 16-17 16-17 18 18

COUNTER-TOP FOOD DISPLAY AND MERCHANDISING



Distributed by:

Lincat is approved by Lloyds Register of Quality Assurance for its quality management systems.

Quality Guaranteed

You can choose Lincat products with total confidence. All Lincat Seal products are backed by the reassurance of a comprehensive UK one year warranty. It is nothing less than you would expect from Lincat - a company with a long track record as one of Europe's largest and most successful manufacturers of catering equipment.

Lincat Limited, Whisby Road, Lincoln LN6 3QZ, United Kingdom Sales Tel: 01522 875500 Spares Tel: 01522 875510 General Tel: 01522 875555 Fax: 01522 875530 International Fax: +44 1522 875530 Website: www.lincat.co.uk e-mail: sales@lincat.co.uk Printed in England January 2008

()





SEAL A range for every need



Quality you can depend on

Lincat is one of the world's leading names in commercial catering equipment. Established in 1971, the Lincat brand is today synonymous with outstanding product reliability. Our strong reputation is based on sturdy, durable construction and first-class technical support. In short, Lincat stands for quality.

Lincat's Seal counter-top food display merchandisers are already a familiar sight worldwide in hotels, airports, petrol forecourts and sporting venues. All products in the range have been carefully designed to give outstanding performance, maintaining optimum temperatures even in adverse conditions. Whatever your requirements and budget, you will find the ideal unit for all your heated, refrigerated or ambient food display needs.

For your complete peace of mind, we rigorously test our products in purpose-built temperature and humidity-controlled facilities. So we can quote realistic, achievable operating performance data. We listen to our clients and have designed the Seal range around your main needs.

Attractive styling and understated elegance in neutral colours blend seamlessly into any surroundings, enhancing display without detracting attention from contents - helping to improve customer spend on food. And all units are designed to maintain the highest standards of hygiene and safety, durability and reliability.

A British company, based in Lincoln, Lincat can guarantee you prompt product delivery, rapid despatch of spare parts and a highly responsive back-up service for your total satisfaction.

Lincat catering equipment – for exceptional quality and value.





650 Range Curved-Front **Merchandisers**

Understated elegant styling blends perfectly into any front-of-house setting, with performance that fully meets all food safety regulations. A choice of refrigerated, heated or ambient units, all are a generous 650mm deep and feature daylight-balanced illumination to enhance food sales.

650 Range Rectangular-Front Merchandisers

For maximum capacity, these 650mm deep rectangular-front refrigerated models are ideally suited to busy outlets. The shape offers all-round visibility and generous internal space, giving plenty of room to display tempting meals and snacks for improved customer spend on food.

500 Range Merchandisers



Make the most of sales potential where space is limited with a range of mid-sized units. either refrigerated or heated, all offering generous capacity. Like the 650 and 350 Ranges, Seal 500 Range refrigerated models deliver reliable performance in ambient conditions of up to 32°C and 70% relative humidity.

350 Range Merchandisers



The perfect budget solution to bar-top display of heated and chilled food. A range of refrigerated and heated units 350mm deep, with rectangular fronts for maximum internal storage. Stylishly designed for attractive space-saving display.

Glass Display Cabinets





Attractive and elegant, glass display cabinets offer generous capacity. A supremely cost-effective solution to displaying both food and non-food items. Manufactured from toughened glass for strength and added safety

Food Display Showcases

For quiet, efficient operation, display showcases offer the perfect economical solution. Heated and refrigerated models deliver exceptional reliability and food safety. Attractive understated styling focuses attention on contents to increase food sales.



Food Display Bars

Versatile and so elegantly styled they are suitable for use either front or back-of-house. Capable of holding chilled food at 3 - 7°C, they perform reliably to food safety standards.

Unest Pages 14-15

Food Preparation Bars

Practical yet stylishly designed, these versatile bars are ideal for holding chilled foods either front or back-of-house. Consistently high performance and affordable peace of mind on food safety.



Heated Displays

Easily portable heated displays ideal for permanent and mobile operations. Overhead light gantries give food an attractive glow. And heated bases without gantries offer a low-budget solution to keeping pre-cooked food warm.



Upright Heated Merchandisers

A choice of rotating or static racks for tempting displays of hot food and snacks. Combination models include ovens - perfect for pizzas, potatoes, pies or pastries, baked and displayed in one convenient unit.



Pie Cabinets

Highly efficient cabinets hold pre-heated food at safe temperatures. An economical solution to the inviting and appetising display of pies and pastries. Optional humidity feature and illumination for extended holding and enhanced presentation



SEAL 650 Range Curved-Front Refrigerated Merchandisers

SEAL 650 Range Curved-Front Refrigerated Merchandisers

Seal 650 Range curved-front refrigerated models combine contemporary design with proven reliability. Understated elegant styling blends perfectly into any front-of-house setting, with performance that fully meets all food safety regulations. And at a generous 650mm deep, all offer outstanding display capacity to optimise food sales.











C6R/130BR





doors

frames

Optional self-closing self-service doors

Essential Facts & Figures

650 Range Curved-Front Refrigerated Merchandisers

					Shelf		Food	Max	Max Ambient
	Width	Height	Power	Back/Self	Dimensions	Cabinet	Holding	Ambient	Relative
Model	(mm)	(mm)	Pack*	Service	W x D (mm)	Temp	Temp	Temp	Humidity
C6R/75BU	750	755	Under	Back	650x525				
C6R/75SU	750	755	Under	Self	650x525				
C6R/100BU	1000	755	Under	Back	900x525				
C6R/100SU	1000	755	Under	Self	900x525				
C6R/125BU	1250	755	Under	Back	1150x525				
C6R/125SU	1250	755	Under	Self	1150x525				
C6R/105BR	1050	755	Right	Back	650x525	3°C - 5°C	3°C - 7°C	32°C	70%
C6R/105BL	1050	755	Left	Back	650x525	30-50	36-76	32 C	/0%
C6R/105SR	1050	755	Right	Self	650x525				
C6R/105SL	1050	755	Left	Self	650x525				
C6R/130BR	1300	755	Right	Back	900x525				
C6R/130BL	1300	755	Left	Back	900x525				
C6R/130SR	1300	755	Right	Self	900x525				
C6R/130SL	1300	755	Left	Self	900x525				

* Position of power pack as viewed from the customer side

- **Curved-Front Refrigerated Merchandisers**
- Understated elegant curved design with extruded aluminium frames and metallic silver finish enhances display without detracting from the contents
- Under-counter models offer all-round visibility to maximise food sales potential
- R404a refrigerant is energy-efficient and non ozone-depleting, so kinder to the environment
- Precise thermostatic control of cabinet temperature with digital display and high/low temperature warning
- "Hot gas" automatic defrost allows continuous operation with no loss of cabinet temperature, for enhanced food safety
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes

- Sleek design and chrome plated rod shelves are attractive and easy to clean
- Large display capacity perfect for busy establishments
- · Counter-top and under-counter models with a choice of power pack position and back or self service options
- Adjustable shelf heights in back service models provide flexibility to accommodate different sized products
- Double-glazed for improved energy efficiency and low running costs
- · Consistent profile across refrigerated, heated and ambient models allows for attractive space-saving modular installations





Adjustable shelf height for maximum versatility



SEAL 650 Range Curved-Front Heated Merchandisers

SEAL 650 Range Curved-Front Ambient Merchandisers

Sleek stylish design means these units fit perfectly into any front-of-house setting. Precise temperature control allows heat to be varied to suit the type of food on display. This means delicious hot dishes are always displayed at the correct safe temperature.



For display of products where temperature is not critical, Seal 650 Range curved-front ambient units offer a stylish, practical and cost-effective solution. All-round visibility and daylight-balanced illumination enhance food sales. And the attractive design and finish are ideal for all prestige locations.



Curved-Front Heated Merchandisers

- Understated elegant curved design with extruded aluminium frames and metallic silver finish enhances display without detracting from the contents
- All-round visibility to maximise food sales potential
- Precise thermostatic control with digital display of cabinet temperature ensures food is maintained at a safe temperature
- Large display capacity perfect for busy establishments
- Humidity feature prevents food drying out food stays in optimum condition for longer, reducing waste
- Choice of back-service or self-service models
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes
- Sleek design and chrome plated rod shelves are attractive and easy to clean
- Adjustable shelf heights in back service models provide flexibility to accommodate different sized products
- Consistent profile across refrigerated, heated and ambient models allows for attractive space-saving modular installations



650 Range Curved-Front Heated Merchandisers

Model	Width (mm)	Height (mm)		Shelf Dimensions W x D (mm)	Cabinet Temp	Food Holding Temp
C6H/75B	750	755	Back	650x525		
C6H/75S	750	755	Self	650x525	Up to 95°C	Min 72°C
C6H/100B	1000	755	Back	900x525	0p 10 95 C	/wiii / 2 C
C6H/100S	1000	755	Self	900x525		





Thermostatic control with digital display



Water reservoir for extra humidity, set within crumb tra

Curved-Front Ambient Merchandisers

- · Understated elegant curved design with extruded aluminium frames and metallic silver finish enhances display without detracting from the contents
- All-round visibility to maximise food sales potential
- Large display capacity perfect for busy establishments
- · Choice of back-service or self-service models
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes
- Sleek design and chrome plated rod shelves are attractive and easy to clean
- · Adjustable shelf heights in back service models provide flexibility to accommodate different sized products
- · Consistent profile across refrigerated, heated and ambient models allows for attractive space-saving modular installations

Essential Facts & Figures

650 Range Curved-Front Ambient Merchandisers

				Shelf
	Width	Height	Back/Self	Dimensions
Model	(mm)	(mm)	Service	W x D (mm)
C6A/75B	750	755	Back	650x525
C6A/75S	750	755	Self	650x525
C6A/100B	1000	755	Back	900x525
C6A/100S	1000	755	Self	900x525



Wipe-clean chrome plated shelves



Optional self-closing self-service doors



Diffused light en contents

SEAL 650 Range Rectangular-Front Merchandisers

SEAL 500 Range Merchandisers

For maximum capacity, the Seal 650 Range rectangular-front refrigerated models are 650mm deep and offer unobstructed, all-round visibility. Ideally suited to busy outlets like schools and colleges, their rectangular shape offers more internal space. Which means plenty of room to display tempting meals and snacks for improved customer spend on food.





Rectangular-Front Refrigerated Merchandisers

- Elegant extruded aluminium frames and metallic silver finish enhance display without detracting from the contents
- R404a refrigerant is energy-efficient and non ozone-depleting, so kinder to the environment
- Top-mounted refrigeration allows all-round visibility to maximise food sales potential
- Double-glazed for extra energy efficiency and low running costs
- Precise thermostatic control of cabinet temperature with digital display and high/low temperature warning
- "Hot gas" automatic defrost allows continuous operation with no loss of cabinet temperature, for enhanced food safety
- Large display capacity perfect for busy establishments
- Choice of back-service or self-service models
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes
- Sleek design and chrome plated rod shelves are attractive and easy to clean
- Adjustable shelf heights in back service models provide flexibility to accommodate different sized products

Essential Facts & Figures

650 Range Rectangular Refrigerated Merchandisers

Model	Width (mm)	Height (mm)	Power Pack	Back/Self Service	Shelf Dimensions W x D (mm)	Cabinet Temp	Food Holding Temp	Max Ambient Temp	Max Ambient Relative Humidity
D6R/75B	750	965	Тор	Back	650x525				
D6R/75S	750	965	Тор	Self	650x525				
D6R/100B	1000	965	Тор	Back	900x525	200 500	3°C - 7°C	32°C	70%
D6R/100S	1000	965	Тор	Self	900x525	30-50	30-70	320	70%
D6R/125B	1250	965	Тор	Back	1150x525				
D6R/125S	1250	965	Тор	Self	1150x525				



D6R/125B



self-service doors



Adjustable shelf height for maximum versatility

Make the most of sales potential where space is limited. At 500mm deep, the Seal 500 Range of mid-sized units offers generous capacity from little counter space. Heated units feature cool illumination, and heating that can be switched off for ambient use.





Refrigerated & Heated Merchandisers

- Elegant extruded aluminium frames and metallic silver finish enhance display without detracting from the contents
- · Choice of back-service and self-service models
- Sleek design and chrome plated rod shelves are attractive and easy to clean
- · Adjustable shelf heights in back service models provide flexibility to accommodate different sized products
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes

Heated Merchandisers

- All-round visibility to maximise food sales potential
- Humidity feature prevents food drying out food stays in optimum condition for longer, reducing waste
- Switchable heat control and cool-temperature lighting allows unit to be used as an ambient display cabinet

Essential Facts & Figures

500 Range Refrigerated & Heated Merchandisers

Model	Width (mm)	Height (mm)	Type*	Power Pack	Back/Self Service	Shelf Dimensions W x D (mm)	Cabinet Temp	Food Holding Temp	Max Ambient Temp	Max Ambient Relative Humidity
D5R/100B	1000	575	R	Right	Back	650x375				
D5R/100S	1000	575	R	Right	Self	650x375	3°C - 5°C	3°C - 7°C	32°C	70%
D5R/125B	1250	575	R	Right	Back	900x375	30-30	30-70	32 C	70%
D5R/125S	1250	575	R	Right	Self	900x375				
D5H/75B	750	575	Н	n/a	Back	650x375				
D5H/75S	750	575	Н	n/a	Self	650x375		Min 70°C	- 1	
D5H/100B	1000	575	Н	n/a	Back	900x375	Up to 95°C	Min 72°C	n/a	n/a
D5H/100S	1000	575	Н	n/a	Self	900x375				

* R = Refrigerated; H = Heated



D5H/100B

Refrigerated Merchandisers

- Precise thermostatic control of cabinet temperature with digital display and high/low temperature warning
- R404a refrigerant is energy-efficient and non ozone-depleting, so kinder to the environment
- "Hot gas" automatic defrost allows continuous operation with no loss of cabinet temperature, for enhanced food safety
- Double-glazed front and sides for extra energy efficiency and low running costs







Diffused light enhances contents

SEAL 350 Range Merchandisers

SEAL Glass Display Cabinets

The perfect solution to bar-top display of heated and chilled food. Seal 350 Range refrigerated and heated units are just 350mm deep, with rectangular fronts for maximum internal storage. Stylishly designed for attractive food display where space is at a premium.



Refrigerated & Heated Merchandisers

- Elegant extruded aluminium frames and metallic silver finish enhance display without detracting from contents
- Sleek design and chrome plated rod shelves are attractive and easy to clean
- Adjustable shelf heights provide flexibility to accommodate different sized products
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes

Refrigerated Merchandisers

- Precise thermostatic control of cabinet temperature with digital display and high/low temperature warning
- R404a refrigerant is energy-efficient and non ozone-depleting, so kinder to the environment
- "Hot gas" automatic defrost allows continuous operation with no loss of cabinet temperature, for enhanced food safety
- Double-glazed front and sides for extra energy efficiency and low running costs



Adjustable shelf height for maximum versatility



Water reservoir for extra humidity



Heated Merchandisers

- All-round visibility to maximise food sales potential
- Humidity feature prevents food drying out food stays in optimum condition for longer, reducing waste
- Switchable heat control and cool-temperature lighting allows unit to be used as an ambient display cabinet

Attractive and elegant, Seal glass display cabinets offer generous display capacity and provide a supremely cost-effective solution to displaying both food and non-food items. They are manufactured from toughened glass for strength and added safety.



GC36





Glass Display Cabinets

- Toughened safety glass throughout with sturdy 10mm thick base glass and strong stainless steel shelf support brackets for extra rigidity
- Option of open back design or removable sliding rear doors
- 6mm thick removable shelves safe and easy to clean
- Generous 150mm shelf height for versatile display of food and non-food items
- Good all-round visibility and polished glass edges enhances visual appeal of displayed items and increases sales potential
- Non-slip rubber feet for extra safety and security

Essential Facts & Figures

Glass Display Cabinets

					Shelf
	Width	Height	No. of	Rear	Dimensions
Model	(mm)	(mm)	Tiers	Doors	W x D (mm)
GC36	600	490	3	No	583x310
GC36D	600	490	3	Yes	583x310
GC39	900	490	3	No	883x310
GC39D	900	490	3	Yes	883x310
GC46	600	645	4	No	583x310
GC46D	600	645	4	Yes	583x310

Essential Facts & Figures

350 Range Refrigerated & Heated Merchandisers

Model		Height (mm)		Power Pack		Shelf Dimensions W x D (mm)		Food Holding Temp		Max Ambient Relative Humidity
D3R/100	1000	575	R	Right	Back	650x275	3°C - 5°C	3°C - 7°C	32°C	70%
D3H/75	750	575	Н	n/a	Back	650x275	Up to 95°C	Min 72°C	n/a	n/a

* R = Refrigerated; H = Heated











Optional sliding doors for ease of access



Chamfered glass for added safety



Easy to clean removable shelves

SEAL Food Display Showcases

For quiet, efficient operation, food display showcases offer the perfect economical solution. Both heated and refrigerated models deliver exceptional reliability and compliance with food safety regulations. Attractive understated styling is ideal for focusing attention on contents so increasing food sales.









Refrigerated & Heated Food Display Showcases

- Attractive understated styling blends with any setting and enhances display for improved customer spend on food
- Even, daylight-balanced illumination to enhance display of contents with easy-change clip-in fluorescent light tubes
- Removable side glass and sleek profile for easy cleaning
- Deep top shelf for increased display capacity ideal for busy establishments
- · Consistent profile across refrigerated and heated models allows for attractive space-saving modular installations

Refrigerated Food Display Showcases

- Precise thermostatic control of cabinet temperature with digital display and high/low temperature warning
- R404a refrigerant is energy-efficient and non ozone-depleting, so kinder to the environment
- Base-mounted refrigeration for all-round visibility to maximise food sales potential
- "Hot gas" automatic defrost allows continuous operation with no loss of cabinet temperature, for enhanced food safety



Removable side glass for easy cleaning



Deep top shelf for maximum capacity

Heated Food Display Showcases

- Fully-adjustable precise thermostatic control with digital display of cabinet temperature ensures food is maintained at a safe temperature
- · Humidity feature prevents food drying out food stays in optimum condition for longer, reducing waste
- Supplied with 65mm deep 1/1GN containers

Optional Accessories

- Flat base plate converts heated models for use without GN dishes BP785 – base plate for SCH785
- BP1085 base plate for SCH1085

Essential Facts & Figures

Food Display Showcases

Model	Width (mm)	Height (mm)	Type*	Power Pack	Back/Self Service	GN Capacity
SCR785	785	665	R	Rear	Back	n/a
SCR1085	1085	665	R	Rear	Back	n/a
SCH785	785	665	Н	n/a	Back	2 x 1/1GN
SCH1085	1085	665	Н	n/a	Back	3 x 1/1GN

* R = Refrigerated; H = Heated







Heated models include 65mm deep gastronorm dishes



Optional flat base plate for

use without gastronorm dishes

(heated models only)

SEAL Food Display Bars & Preparation Bars

SEAL Food Display Bars & Preparation Bars

Elegant and versatile Seal food display bars are suitable for use either front or back-of-house, even in the most exclusive settings. Capable of holding chilled food at 3 - 7°C, they perform reliably to food safety standards.

Ideal for the busiest establishment, Seal food preparation bars hold large quantities of chilled foods - perfect for sandwich or pizza preparation. Their consistently high performance gives you affordable peace of mind on food safety.







Food Display Bar with optional self service glass





- · Precise thermostatic control of cabinet temperature with digital display and high/low temperature warning
- Efficient R134a refrigerant ensures optimum performance whilst maintaining compact dimensions
- Well base and side refrigeration ensures even cooling throughout bar length
- Energy-efficient close-fitting gastronorm containers

Food Display Bars

- Attractive understated styling blends with any setting and enhances display for improved customer spend on food
- Fully welded stainless steel construction robust, hygienic and easy to clean
- Stylish low profile design holds 100mm deep gastronorm containers



- Back service glass protects contents; allows easy access for operator to serve
- Self service glass offers access from both sides; ideal for buffet applications
- Stainless steel lid protects contents and maintains temperature for extended periods
- Wall Brackets to mount food display bar securely to a wall

To Fit	Back Service Glass	Self Service Glass	Stainless Steel Lid	Wall Brackets
FDB4	BSG4	SSG4	DBL4	DBWB
FDB5	BSG5	SSG5	DBL5	DBWB
FDB6	BSG6	SSG6	DBL6	DBWB
FDB8	BSG8	SSG8	DBL8	DBWB
FDB10	BSG10	SSG10	DBL10	DBWB
FPB5	PBG5	n/a	PBL5	n/a
FPB7	PBG7	n/a	PBL7	n/a





Food Preparation Bar with optional stainless steel lid

Optional Accessories

Gastronorm Containers & Lids

Size	Stainless Steel 100mm Deep Container (for FDB models)	Stainless steel 150mm Deep Container (for FPB models)		Transparent Acrylic Lid
1/1GN	TA09	TA71	TA45	TA92
1/2GN	TA41	TA38	TA39	TA93
1/3GN	TA43	TA85	TA44	TA94

Essential Facts & Figures

Food Display Bars

Model	Width (mm)		Power Pack*		Well Temp	Food Holding Temp	Max Ambient Temp	Max Ambient Relative Humidity
FDB4	1045	245	Left	4				
FDB5	1222	245	Left	5				
FDB6	1399	245	Left	6	-1°C to +2°C	3°C to 7°C	25°C	60%
FDB8	1753	245	Left	8				
FDB10	2107	245	Left	10				

Food Preparation Bars

Model				No. of 1/3 GNs		Food Holding Temp		Max Ambient Relative Humidity
FPB5	1225	262	Left	5	-1°C to +2°C	2°C to 7°C	25°C	60%
FPB7	1580	262	Left	7	-1 C 10+2 C	3 C 10 / C	230	00%

* Position of power pack as viewed from the customer side

Optional Accessories

To Fit	Back Service	Self Service	Stainless	Wall	
	Glass	Glass	Steel Lid	Brackets	
FDB4	BSG4	SSG4	DBL4	DBWB	
FDB5	BSG5	SSG5	DBL5	DBWB	
FDB6	BSG6	SSG6	DBL6	DBWB	
FDB8	BSG8	SSG8	DBL8	DBWB	
FDB10	BSG10	SSG10	DBL10	DBWB	
FPB5	PBG5	n/a	PBL5	n/a	
FPB7	PBG7	n/a	PBL7	n/a	

Food Preparation Bars

- Robust stainless steel construction hygienic and easy to clean
- Holds 150mm deep GN containers ideal for busy establishments

Gastronorm Configurations



rDB6 will hold 6 x 1/3GN, or 4 x 1/2GN or 2 x 1/1GN, or combinations such as 2 X 1/2GN + 3 x 1/3GN.



FPB models take large capacity 150mm deep gastronorm dishes

SEAL Heated Displays

Easily portable, Seal heated displays can be set up wherever needed, making them ideal for both permanent and mobile operations. Overhead light gantries give food an attractive glow. And heated bases without gantries offer a low-budget solution to keeping pre-cooked food warm. Optional bain marie adaptors offer further versatility.





Heated Displays

- Thermostatic control allows base heat to be adjusted to suit a variety of food products
- Aluminium surface for energy-efficient heat conduction
- Accepts 1/1GN containers for tempting displays of hot food direct from the oven
- Robust stainless steel construction hygienic and easy to clean
- Optional bain marie adaptor holds 2/3GN containers for added flexibility

Heated Displays with Gantries

- Overhead gantry with halogen heat lamps gives an instant, appealing glow for attractive display of open dishes
- Lamps are easy to replace and can be switched off useful where covered dishes are occasionally served
- Toughened glass sneeze screen for hygiene and safety







Safe, hygienic toughened glass sneeze screen (LD models)

For detailed specifications please see back cover





Heated Bases

• Affordable choice where overhead heat and illumination is not required, for example where covered dishes are served

Optional Accessories

• **Bain marie adaptors**, including 65mm deep 2/3GN containers with lids, easily convert LD/HB models to a dry well bain marie servery

To Fit	Model	No. of 2/3GN Containers
LD2	LDBM2	2
LD3	LDBM3	3
LD4	LDBM4	4
HB2	HBBM2	2
HB3	HBBM3	3
HB4	HBBM4	4

Essential Facts & Figures

Heated Display

Model	Width (mm)	Height (mm)	Light Gantry	Useable Heated Surface Area W x D (mm)	Capaci
LD2	790	562	Yes	748x500	2 x 1/10
LD3	1130	562	Yes	1088x500	3 x 1/10
LD4	1470	562	Yes	1428x500	4 x 1/10
HB2	754	115	No	748x500	2 x 1/30
HB3	1094	115	No	1088x500	3 x 1/30
HB4	1434	115	No	1428x500	4 x 1/30

16



LD3 with optional bain marie adaptor (LDBM3)





Easily adjustable base heat

SEAL Upright Heated Merchandisers

SEAL Pie Cabinets

Upright heated merchandisers offer the choice of rotating or static racks for tempting displays of hot food and snacks. Combination models include ovens - perfect for pizzas, potatoes, pies or pastries, baked and displayed in one convenient unit.







Rotating 3-tier rack for eye-catching display



Built-in oven with chrome-plated shelf

and the second se

UMS050

Safe and highly efficient, Seal pie cabinets hold pre-heated food at the required temperature. These versatile units provide an economical solution to displaying pies and pastries in an inviting and appetising way. With the option of a humidity feature and illumination for extended holding and enhanced presentation.

Pie Cabinets

- Stylish, rounded and compact design for attractive display where space is at a premium
- Robust stainless steel construction hygienic and easy to clean
- Manufactured from toughened glass throughout for safety
- Three chrome-plated rod shelves with easy to remove supports for effortless cleaning
- Two 25-watt diffused switchable lights with user changeable bulbs for enhanced food presentation (LPW/LR model)
- Humidity feature to keep food in perfect condition for longer, minimising waste (LPW/LR models)

Upright Heated Merchandisers

- Robust stainless steel construction hygienic and easy to clean
- Choice of rotating rack (UM50) or square static rack (UMS50), both chrome plated for attractive appearance and ease of cleaning
- Toughened safety glass sides and hinged safety glass door with stay-cool handles for safe and efficient back service operation
- Humidity feature keeps food in perfect condition for longer, minimising waste
- Diffused twin lights for even, attractive illumination
- User-replaceable light bulbs and removable control panel for lower service costs

Upright Heated Merchandisers with Ovens

- Combination model has oven and merchandiser in one convenient counter-top unit
- Chrome-plated rod shelf and removable internal base
- Drop-down door for easy access to oven interior
- Choice of rotating (UM050) or static rack (UMS050)
- Thermostatically-controlled oven with 50° 250°C range for accurate, reliable cooking
- Fully-insulated oven maintains safe lower exterior side wall temperatures
- Plus all the features of the upright heated merchandisers

Essential Facts & Figures

Upright Heated Merchandisers

Model	Width (mm)	Height (mm)	Shelf Type	Back/Self Service	Merchandiser Shelf Dimensions W x D (mm)	Inbuilt Oven	Oven Shelf Dimensions W x D (mm)	Cabinet Temp	Merchandiser Food Holding Temp
UM50	565	780	Rotating	Back	374 diameter	No	n/a		
UM50D	565	780	Rotating	Self	374 diameter	No	n/a		
UMS50	565	780	Static	Back	420x446	No	n/a		
UMS50D	565	780	Static	Self	420x446	No	n/a	Up to 95°C	Min 72°C
UMO50	565	925	Rotating	Back	374 diameter	Yes	380x390		
UMO50D	565	925	Rotating	Self	374 diameter	Yes	380x390		
UMSO50D	565	925	Static	Back	420x446	Yes	380x390	ſ	
UMSO50	565	925	Static	Self	420x446	Yes	380x390		

UM50





Essential Facts & Figures

Pie Cabinets

Model	Width (mm)	•	Shelf Dimensions W x D (mm)			Cabinet Temp	Food Holding Temp
LPW	710	520	605x275	No	No	Up to 95°C	Min 72°C
LPW/LR	710	520	605x275	Yes	Yes	Up 10 95 C	/win / 2 C





Hygienic easy-clean removable crumb tray



User-changeable light bulbs (LPW/LR model)



Wipe-clean chrome-plated shelves



Water tray for added humidity (LPW/LR model)