lincat



EB6TFX - Lincat FilterFlow FX Countertop Automatic Fill Twin-Tap Water Boiler - W 250 mm - 6.0 kW

- Twin tap version, ideal for the busiest periods
- Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust

The FilterFlow Automatic Fill Electric Twin-Tap Water Boiler is perfect for busy periods, such as when a coach load of holiday makers pull up outside your cafe and they all want hot drinks.

- Eco setting reduces the volume of boiling water by 50% for quieter periods
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	6.0
Range	FilterFlow	Temperature Range °C	70-98
Series	FX Counter-top Boiler	IP Rating	IP23
Power Type	Electric	Hourly Output Litres	60
Unit Type	Counter-top	Hourly Output Cups	300
Available in UK Only	No	Temperature Control	Electronic
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105105572		
Key Specifications		Capacity	
Outlet	Twin Tap	Hot and Cold Water Output	No
Dispense Lock	No	Rapid Draw Off Litres	18.0
WRAS Approved	Yes	Rapid Draw Off Cups	90
		Capacity Litres	22.0
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	685	Requires Installation	Yes
Unit Width (External) mm	250	Requires Electrical Supply	Yes
Unit Depth (External) mm	525	UK 3 Pin Plug	No
Net Weight Kg	16.2	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	6,000
		Single Phase Amps	26
		Single Phase Voltage	230
		Water Connection Pressure Bar	6
		Water Connection	3/4"



lincat



Shipping

Packed Weight Kg	19
Packed Height cm	53
Packed Width cm	78.5
Packed Depth cm	36.6

Available Accessories		
BR56	EB6FX WALL BRACKET	
DP10	DESCALER POWDER	
EBHF01	Lincat EB Hands Free Tap Adaptor	
FC04	Filter Cartridge for Lincat FilterFlow Water Boiler	

Technical Picture











Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm