



Opus **800**

PRODUCT OPTIONS AND ACCESSORIES

- LK02 OPUS 350 LEG KIT
- OA8954 SPLASHGUARD FOR OPUS 800 ELECTRIC FRYERS

PRODUCT FEATURES

- Two independent fryer tanks for greater versatility
- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Hinged, lift out element, with safety interlock for easy tank access and cleaning

Fry delicious food accurately with this Opus 800 Twin-Tank Free Standing Electric Fryer which comes with two independent fryer tanks for greater versatility. Boasting a precise thermostatic control, the fryer is ideal for a variety of busy commercial kitchens, whether it's a large pub or a restaurant. The hinged, lift out element with safety interlock makes it easy to access and clean the tank.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT OPUS ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 14.0 KW

MODEL: OE8105

WEIGHTS & DIMENSIONS

Width	400 mil
Depth	800 mil
Height	1020 mil
Weight	75 kg

SHIPPING DETAILS

Ship Width	85 cm
Ship Depth	45 cm
Ship Height	122 cm
Ship Weight	82.5 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Phase	3-Phase
Electrical Amps Per Conductor	L1=20.3; L2=20.3; L3=20.3	Electrical Plug Type	Hardwired
Electrical Total Amperage	60.9 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	400V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	14000 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	14 kW	Dedicated Circuit Required	Yes
		Electrical Remarks	Three

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Vats (batteries)	2
Basket Lift Type	Not Applicable	Total Oil Capacity (volume)	19 l
Construction Materials	Stainless Steel	Oil Reclamation	No
Control Type	Mechanical	Oil Temperature Control	Mechanical
	40kg chips - 12mm	Pumped Oil Filtration	No
Food Production Rate	[frozen], 56.2kg chips - 12mm [chilled] per hour	Vat 1 Oil Capacity (volume)	9.5 l
		Vat 2 Oil Capacity (volume)	9.5 l
Fryer Type	Open Pot	Ventless Cooking Technology	No
Integrated Filtration	No	Split Pot	Yes
Number of Baskets	2	Temperature Maximum	190 °C

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 09, 2025

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

