

Foodservice Equipment *for* **CORRECTIONS**



CAMBRO

COMMITTED FOR LIFE

Founded in 1951, Cambro® has become the leading foodservice equipment manufacturer. Beginning with the original Camtray®, Cambro has continued to innovate and develop products that have become the industry standard. From storage containers to insulated food transporters to portable food bars, Cambro has focused on offering foodservice operators the tools to provide the safest and freshest meals.

Mission Statement

Cambro is committed to providing the highest quality and most durable products for correctional facilities, supporting safe handling practices and food quality initiatives.



Made in USA

Products listed in this brochure are manufactured in the USA.



StoreSafe Stay Safe

Cambro is committed to providing foodservice operators with products to help meet HACCP guidelines.



National Sanitation Foundation

NSF listed products are identified in this brochure.

Cambro is a proud affiliate for the following organizations:



General Services Administration
Contract No. GS-07F-012GA



Association of Correctional Food Service Affiliates

03-04 TRAYS

Meal Delivery Trays
Insert Tray
Base Tray
Compartment Tray
Separator® Tray

05 TRAY SERVICE

Tumblers
Camwear® Tumblers
Camwear Dinnerware

06 INSULATED FOOD TRANSPORT ELECTRIC

Ultra Pan Carrier® and
Ultra Camcart® H-Series
Camtherm®

07 PRO CART ULTRA® SECURITY PACKAGE

Pro Cart Ultra®
Pro Cart Ultra Tow Hitch Kit

08 INSULATED FOOD TRANSPORT NON-ELECTRIC

Meal Delivery Cart
Camcart® with Security Package
Ultra Camcart®
S-Series Top Loader
Temperature Maintenance Tools

09 CAMSHELVING PREMIUM® SERIES

10 FOOD STORAGE

Dunnage Racks
Ingredient Bins
Measuring Cups
High Heat Measuring Cups
and Cover
Storesafe® Food Rotation Labels
Camshelving® Vertical Drying Rack

12 STORAGE BOXES, LIDS and INSULATED BEVERAGE SERVERS

Food Storage Boxes and Lids
Camtainers®
Ultra Camtainers®

14 WAREWASHING

Camrack® System
Service Cart Pro
Service Carts

15 MOBILE HANDWASHING STATION 3 in 1 HANDWASH STATION

TRAYS

Cambo offers a variety of safe and durable trays for inmate or employee feeding. From in-cell feeding trays to simple compartment trays, correctional facilities will find a tray to fit every need.

MEAL DELIVERY TRAYS

Intended for in-cell feeding programs. Tray with cover separates each compartment to retain food temperature and reduce spills. Available in durable Camwear® and break-resistant co-polymer.



CODE	DESCRIPTION	DIMENSIONS L x W x D
Camwear		
9113CW	3 Compartments	9" x 11" x 2 ⁵ / ₁₆ "
9114CW	4 Compartments	9" x 11" x 2 ¹ / ₂ "
911CWC	Lid fits both trays	9" x 11" x 9 ¹ / ₁₆ "
Co-Polymer / BPA Free		
9113CP	3 Compartments	9" x 11" x 2 ⁵ / ₁₆ "
9114CP	4 Compartments	9" x 11" x 2 ¹ / ₂ "
911CPC	Lid fits both trays	9" x 11" x 9 ¹ / ₁₆ "

Case Pack: 24 Co-Polymer is not NSF listed.

INSERT TRAY

Designed specifically for cook-chill applications, this tray can be covered with heat seal film or snap-on cover. Conveniently, eight trays fit on a standard sheet pan or in an 18" x 26" wire rack.



853FCW
with 853FCWC



853FCP
with 853FCPC

CODE	DESCRIPTION	DIMENSIONS L x W x D
Camwear		
853FCW	3 Compartments	8 ¹¹ / ₁₆ " x 6 ⁵ / ₁₆ " x 1 ¹ / ₈ "
853FCWC	Lid for 853FCW	8 ¹³ / ₁₆ " x 6 ³ / ₄ " x 1 ¹ / ₄ "
Co-Polymer / BPA Free		
853FCP	3 Compartments	8 ⁹ / ₁₆ " x 6 ¹ / ₄ " x 1 ¹ / ₈ "
853FCPC	Lid for 853FCP	8 ¹³ / ₁₆ " x 6 ³ / ₄ " x 1 ¹ / ₄ "
Heat Resistant Plastic		
853FH	3 Compartments	8 ¹¹ / ₁₆ " x 6 ⁵ / ₁₆ " x 1 ¹ / ₈ "
853FHC	Lid for 853FH	8 ¹³ / ₁₆ " x 6 ³ / ₄ " x 1 ¹ / ₄ "

Case Pack: 24 Co-Polymer is not NSF listed.

BASE TRAY

Combine pre-plated hot and cold food portions into a reusable, single service unit. Works as a tray for in-cell feeding with the insert tray.



1411CW base tray
with 853FH insert tray

CODE	DESCRIPTION	DIMENSIONS L x W x D
Camwear		
1411CW	5 Compartments	14 ³ / ₈ " x 10 ⁹ / ₁₆ " x 1 ¹ / ₄ "
Co-Polymer / BPA Free		
1411CP	5 Compartments	14 ³ / ₈ " x 10 ⁹ / ₁₆ " x 1 ¹ / ₄ "
Heat Resistant Plastic		
853FH	3 Compartments	8 ¹¹ / ₁₆ " x 6 ⁵ / ₁₆ " x 1 ¹ / ₈ "

Case Pack: 24 Co-Polymer is not NSF listed.

TRAYS

Cambro offers a variety of safe and durable trays for inmate or employee feeding. From in-cell feeding trays to simple compartment trays, correctional facilities will find a tray to fit every need.

COMPARTMENT TRAY

Made from durable Camwear, these trays are ideal for cafeteria-style feeding in high security environments. These trays offer configurations designed to meet a wide variety of requirements.



10146CW



CODE	DESCRIPTION	DIMENSIONS L x W x D
Camwear		
10146CW	6 Compartments	10" x 14½" x 1⅝"
14105CW	5 Compartments	10⅞" x 13⅞" x 1⅞"
10145CW	5 Compartments	10" x 14½" x 1⅝"
Co-Polymer / BPA Free		
14105CP	5 Compartments	10⅞" x 13⅞" x 1⅞"
Case Pack: 24 Co-Polymer is not NSF listed.		

SEPARATOR® COMPARTMENT TRAY

Six compartment tray designed specifically for in-cell feeding programs. Serve hot and cold food from the same tray and cover with a lid to lock in the temperature and prevent spills.



10146DCP with
10146DCPC



10146DCW with
10146DCWC



10146DCP

CODE	DESCRIPTION	DIMENSIONS L x W x D
Camwear		
10146DCW	6 Compartments	10" x 14½" x 1⅝"
10146DCWC	Lid fits 10146DCW	10¼" x 14¼" x 1⅞"
Co-Polymer / BPA Free		
10146DCP	6 Compartments	10" x 14½" x 1⅝"
10146DCPC	Lid fits 10146DCP	10¼" x 14¼" x 1⅞"
Case Pack: 24 Co-Polymer is not NSF listed.		

TRAY SERVICE

Avoid breakage and injury while saving resources with Cambro tumblers and dinnerware. These impact resistant tumblers and virtually unbreakable Camwear® plates and bowls are reusable, saving the operator money on disposable costs.

TUMBLERS

Made of durable, break-resistant co-polymer, this tumbler is an economical, durable and safe choice for beverage service.



CODE	CAPACITY
NT9CP	9.5 oz.
Case Pack: 48	



CAMWEAR® TUMBLERS

This tumbler is made from durable Camwear and has a textured exterior surface that resists scratching as well as a smooth interior for easy cleaning.



CODE	500CW	800CW	850CW	950CW	1200CW	1600CW
TOP DIAMETER	2¼"	2½"	3¾"	2¾"	2½½"	3½"
HEIGHT	3¾"	3¾"	3½½"	4¾"	5½½"	5¾"
CAPACITY TO RIM	5.4 oz.	8 oz.	9.1 oz. (Heavy Wall)	9.6 oz.	13 oz.	17 oz.
CASE PACK	48	48	48	48	48	48

CAMWEAR DINNERWARE

Reusable dinnerware products are made from durable Camwear and resists stains, odors and scratches. Choose from a complete selection of bowls, plates, mugs and cups to satisfy menu options and portion size requirements.



CODE	75CW	96CW	10CW	10CWL	35CW	50CW	100CW	150CW
APPROX. CAPACITY	7.5 oz.	9.6 oz.	9.4 oz.		8.4 oz.	15.3 oz.	12.5 oz.	16.7 oz.
DESCRIPTION	Stacking Cup	Mug	Square Bowl	Lid for 10CW Bowl	Bouillon	Nappie Bowl	5" Nappie	Square Bowl
CASE PACK	48	48	48	48	48	48	48	48
SHAPE	—	—	Square	Square	Round	Round	Round	Top/Rnd-Bottom/Sqr
OUTSIDE DIAMETER	4½"	4½"	Top: 4" x 4"	—	3½½"	5¼"	5"	Top: 5¼"
FULL SIZE CAMRACK®	16C414	16C414	—	—	—	—	—	—
HEIGHT	3½"	3¾"	1½"	½"	2½"	2½"	1½"	2½"

Camwear Dinnerware available in the following colors:



Beige (133)



Black (110)



White (148)



Slate Blue (401)

Pro Cart Ultra® Pan Carriers

With interchangeable temperature modules, the Pro Cart Ultra series is as versatile as it is durable.

Features durable, heavy-duty stainless steel hinges, ergonomic, molded-in handles and spring-loaded magnetic door catches (close door hands-free).



PCU800
Total capacity
10 cm deep
GN 1/1 Food Pans



PCU1000
Total capacity
10 cm deep
GN 1/1 Food Pans



PCU2000
Total capacity
10 cm deep
GN 1/1 Food Pans



**ELECTRIC
HOT**

Adjustable temperature
from 70° to 185°F,
heat up to 165°F in 15 min.

Recovery Time:
Average 20 sec.



**ELECTRIC
COLD**

Adjustable temperature
from 32.5° to 70°F
without a compressor.

Recovery Time:
PCU1000 / Average 23 sec.
PCU2000 / Average 30 sec.



**NON-ELECTRIC
PASSIVE**

Holds hot or cold foods
for 4+ hours.

(Recovery time based on ambient temp.
of 74°F) Empty Compartments

CODE	DESCRIPTION
PCU800	
PCU800HH	2 active hot compartments
PCU800HC	1 active hot compartment (top), 1 active cold compartment (bottom)
PCU800CC	2 active cold compartments
PCU1000	
PCU1000HH	2 active hot compartments
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)
PCU1000CC	2 active cold compartments
PCU2000	
PCU2000HH	2 active hot compartments
PCU2000HC	1 active hot compartment (top), 1 active cold compartment (bottom)
PCU2000CC	2 active cold compartments
MODULES	
PCMXX	Cold Module
PCMHX	Hot Module
PCMPX	Passive Module

Case Pack: 1 Color: Charcoal Gray (615).
Tow Hitch Package Available for PCU2000 Only.

PRO CART ULTRA® SECURITY PACKAGE (SP)

Specially designed for operations where safety and security are a top priority.



PRO CART ULTRA®

The Pro Cart Ultra is the ultimate food transport cart that can hold all your hot and cold menu items in the same cart, at the same time — without a compressor!

- Tamper resistant fasteners secure side column panels to the cart.
- Passive and electrical modules and cord strap keepers are secured in place with tamper resistant fasteners.
- Non removable doors. Lockable hasp secures both doors at once. (Lock not included).



ELECTRIC HOT
Hot holding cycles between 150°- 165°F.

NON-ELECTRIC PASSIVE
Holds hot or cold foods for 4 + hours.

ELECTRIC COLD
Cold holding cycles between 32.5° - 40°F without a compressor.

Hot, cold and passive modules are also sold separately to quickly outfit the cart to suit your menu.

CODE	DESCRIPTION
Both Compartments Hot, Tall Profile	
PCUHHSP	110V standard USA / CAN power cord 5-15P with Security Package
PCUHHSPNR	110V standard USA / CAN power cord 5-15P Security Package with no rails
Combination Hot & Cold, Tall Profile	
PCUHC	Top compartment hot, bottom cold. 110V standard USA / CAN power cord 5-15P
Low Profile	
PCULP	Non-electric / passive
PCULH	Hot Cart, 110V standard USA / CAN power cord 5-15P
PCULC	Cold Cart, 110V standard USA / CAN power cord 5-15P

Standard Railing Includes: 8 pairs of stainless steel Universal rails/compartment.
Includes Standard Casters: 6" x 2" heavy duty swivel with brake in front, rigid in back.

PRO CART ULTRA TOW HITCH KIT

Tow your Pro Cart Ultra to your loading dock, serving location and back to your kitchen with the Cambro Tow Hitch Kit. The tow hitch is designed to securely connect your Pro Cart Ultra to any service vehicle with towing capability.

- Kit available with standard or security hardware.
- Maximum tow capacity 2,000 pounds.

CODE	DESCRIPTION
PCUTOWSP	Pro Cart Ultra Tow Hitch Security Package

SP package includes tamper-resistant screws.

UNIT DIMENSIONS

UNIT	EXTERIOR DIM. W x D x H	COMPARTMENT DIM. W x D x H
Tall Profile COLD	28" x 36½" x 66"	21½" x 26¼" x 25½"
Tall Profile HOT / PASSIVE	28" x 35¾" x 66"	21½" x 27" x 25½"
Low Profile COLD	28" x 36½" x 40"	21½" x 26¼" x 25½"
Low Profile HOT / PASSIVE	28" x 35¾" x 40"	21½" x 27" x 25½"



All models are also available without rails and side column panels. Please visit cambro.com for details.



Fits carts manufactured in January 2019 or after.

INSULATED FOOD TRANSPORT – ELECTRIC

Perfect for longer food holding times, Cambro's electric food carriers can extend food holding times to ensure food safety.

ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES



These Energy Star rated carts are an economical alternative to large warming cabinets with a gentle heat (150°-165°F) that won't overcook food. H-Series carts preheat in 1 hour and have a recovery time of approximately three minutes. Choose from three models that can accommodate a variety of food pans.



UPCH400 shown with optional CD400 Camdolly®



UPCH800



UPCH1600

CODE	DESCRIPTION	EXTERIOR DIM. W x D x H	COMPARTMENT DIM. W x D x H
1-Compartment Hot Holding Ultra Pan Carriers			
UPCH400	Heated Ultra Pan Carrier, 110V	18 $\frac{1}{8}$ " x 26 $\frac{3}{8}$ " x 24 $\frac{7}{9}$ "	13 $\frac{3}{8}$ " x 21" x 19 $\frac{1}{8}$ "
UPCH400TR	Heated Ultra Pan Carrier, 110V, Tamper Resistant	18 $\frac{1}{8}$ " x 26 $\frac{3}{8}$ " x 24 $\frac{7}{9}$ "	13 $\frac{3}{8}$ " x 21" x 19 $\frac{1}{8}$ "
2-Compartment Hot Holding Ultra Camcarts			
UPCH800	Heated Ultra Camcart, 110V	20 $\frac{1}{2}$ " x 27 $\frac{1}{8}$ " x 54"	13" x 21 $\frac{1}{2}$ " x 19 $\frac{1}{8}$ "
UPCH800TR	Heated Ultra Camcart, 110V, Tamper Resistant	20 $\frac{1}{2}$ " x 27 $\frac{1}{8}$ " x 54"	13" x 21 $\frac{1}{2}$ " x 19 $\frac{1}{8}$ "
UPCH1600	Heated Ultra Camcart, 110V	28 $\frac{3}{4}$ " x 33 $\frac{3}{8}$ " x 54 $\frac{1}{2}$ "	21" x 26 $\frac{1}{8}$ " x 21"
UPCH1600TR	Heated Ultra Camcart, 110V, Tamper Resistant	28 $\frac{3}{4}$ " x 33 $\frac{3}{8}$ " x 54 $\frac{1}{2}$ "	21" x 26 $\frac{1}{8}$ " x 21"

CAMTHERM®

Available in Hot Only or Hot/Cold, double or single cavity models, these electric food transporters are **48% more energy efficient** than a leading metal cabinet. Camtherms can be used to expand holding capacity in the kitchen or to transport large amounts of food off-site.



Hot Only



Low Profile



Tall Profile

CODE	THERMOMETER	CASTERS
LOW PROFILE WITH SECURITY PACKAGE EXTERIOR dimensions: W 30 $\frac{1}{2}$ " x D 42" x H 42 $\frac{3}{8}$ "		
Hot Only		
CMBH1826LTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid
Hot / Cold		
CMBHC1826LTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid
TALL PROFILE WITH SECURITY PACKAGE EXTERIOR dimensions: W 30 $\frac{1}{2}$ " x D 39" x H 64 $\frac{3}{8}$ "		
Hot Only		
CMBH1826TTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid
Hot / Cold		
CMBHC1826TTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid



INSULATED FOOD TRANSPORT - NON-ELECTRIC

Top-loading and front-loading food pan carriers hold, transport and serve full-size pans of hot or cold food. These carries ensure that food arrives safely when satellite feeding is necessary.

MEAL DELIVERY CART

Transport meal trays from the kitchen to inmates. These carts have security features such as handle security screw and lock blocks on casters.



SPECIFICATIONS	MDC1411T60
TRAY SIZE	14" x 11" Base Tray 1411CW and 1411CP
TRAYS PER CART / PER COMPARTMENT	60 / 20
RAILS PER COMPARTMENT	10
TRAYS PER RAIL / RAIL SPACING	2 / 5"
NUMBER OF COMPARTMENTS	3
MENU CLIPS	None
HANDLES - TYPE AND LOCATION	Heavy-duty aluminum with security screws, black finish, 1 per end
CASTER TYPE	6" heavy-duty casters, 2" wide tread, 2 swivel no brake, 2 rigid
LATCHES	Internal friction catch, 2 per door, transit latch*
EXTERNAL DIMENSIONS W x D x H	60" x 29 1/4" x 63 3/8"
INTERNAL DIMENSIONS W x D x H	14 1/2" x 21 1/2" x 50"
REQUIRED DOOR WIDTH	30"

1826DTC 1826DBC CAMCART® WITH SECURITY PACKAGE

These carts are used to hold full-size sheet pans or food boxes of hot or cold food. Combo Carts are available in Low and Tall models as well as optional security packages for both.



CODE	1826DTCSP	1826DBCSP
DESCRIPTION	For trays and sheet pans	For food storage boxes
OVERALL DIM. W x D x H	21 1/2" x 33 1/4" x 63 3/4"	21 1/2" x 33 1/4" x 63 3/4"

ULTRA CAMCART®

These double-compartment high capacity carts hold and transport hot or cold food without a dolly. Full-swing doors open to the side of the cart for easy loading and unloading. Tamper resistant models available.



CODE	UPC800TR	UPC1600TR	UPCGL1600
DESCRIPTION	Tamper Resistant	Tamper Resistant	Gasketless
EXTERIOR DIM. W x D x H	20 1/2" x 27 1/8" x 54"	28 3/4" x 33 3/8" x 54 1/8"	28 3/4" x 33 3/8" x 54 1/8"
COMPARTMENT DIMENSIONS	13" x 21 1/2" x 19 1/8"	21" x 26 1/8" x 21"	21" x 26 1/8" x 21"

S-SERIES TOP LOADER

These top loaders are made from durable polypropylene and maintain temperature without a gasket. They can be stacked on top of each other and can be carried by one employee.



CODE	UPCS160	UPCS180
COMPARTMENT CAPACITY	1 full size 6" deep pan	1 full size 4" deep pan
EXTERIOR DIM. D x W x H	25 1/8" x 17 1/8" x 10 1/4"	25 1/8" x 17 1/8" x 12"
FITS CAMDOLLY®	CD160	CD160

TEMPERATURE MAINTENANCE TOOLS



Camwarmer®
Keep in cabinet with hot foods to extend or enhance safe holding above 140°F (65°C) when frequent access is required.



Camchiller®
Extend or enhance safe cold holding time below 41°F (5°C) when frequent access is required.

CODE	CP1220	1210PW
FITS INTO	Camcarts and Combo Carts	UPC800
DIM. L x W x H	20 13/16" x 27 1/8" x 1 1/2"	28 3/4" x 33 3/8" x 54 1/8"

Case Pack: 1

CAMSHELVING PREMIUM® SERIES

Ultra Strong, Durable, Easy & Quick to Clean, Will Not Rust.

SHELVING for LIFE®


camguard
ANTIMICROBIAL SHELF PLATES

FOR A SANITARY STORAGE AREA

Camshelving is a modular system that allows the flexibility to assemble shelving to fit any size area. The components can be easily configured to custom build shelving that will maximize storage space in wet or dry environments from -36° to 190°F.

BUILD ANY CONFIGURATION AND FIT ANY SIZE AREA

- Create a space efficient layout for any area.
- Assembles in minutes, requiring only the use of a rubber mallet.
- Two units can be connected together with shelves at alternating heights for maximum storage flexibility.
- Corner Connectors attach units to create a 90° angle or U shape.



Shelves can be adjusted in 4" increments without disassembling the unit.




RUST AND CORROSION FREE

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.



STRONG AS STEEL

Posts and traverses are the weight bearing components, constructed with a steel core encapsulated by a thick polypropylene outer layer. This shelving will remain rust free.



EASY TO CLEAN

Shelf plates can be easily cleaned by removing and placing in an open end dish rack.

Please contact your Cambro Representative for a Camshelving consultation.



Scan QR code to request a free 3D shelving layout.

UTILITY SHELVING




CAMSHELVING® VERTICAL DRYING RACK

Dry and store trays, and a wide range of kitchen essentials, upright to prevent wet nesting and bacteria growth.

Rust and corrosion-resistant drying cradles are removable and dishwasher-safe.






COMPONENT



CAMRACK® PEG & TRAY RACKS

The peg rack design allows the user to wash various sized plates, bowls, trays, plate covers and other items. Standard peg racks are available in a 9 x 9 or a 5 x 9 configuration. Open-end tray racks hold up to nine cafeteria trays, or full-size sheet pans.



FOOD STORAGE

Keep inventory safe and fresh from receiving to prep and storage.



DUNNAGE RACKS

Keep frozen, cold or dry inventory 12" safely off the floor. Heavy duty polypropylene is safe to -36°F and will not rust, corrode or bend.



CODE	EXTERIOR DIM. H x D x W	LOAD CAPACITY
Solid Top		
DRS30	12" x 21" x 30"	1500 lbs.
DRS48	12" x 21" x 48"	3000 lbs.
Slotted Top		
DRS300	12" x 21" x 30"	1500 lbs.
DRS480	12" x 21" x 48"	3000 lbs.

Case Pack: 1 InStock Color: Speckled Gray (480).

INGREDIENT BINS

Store bulk dry ingredients such as flour and grain. Hygienic clear sliding lid reduces handling and allows for quick content identification. Fits under standard work tables.



CODE	IBS20	IBS27	IBS37
DIMENSIONS W x L x H	13" x 29½" x 28"	16⅝" x 29⅝" x 28"	21½" x 29½" x 28"
CAPACITY	21 gal.	27 gal.	37 gal.
LOAD CAPACITY (SUGAR)	170 lbs.	226 lbs.	314 lbs.
LOAD CAPACITY (FLOUR)	140 lbs.	150 lbs.	225 lbs.

Case Pack: 1 InStock Color: White (148).

MEASURING CUPS

Externally marked graduations are molded in and imprinted in red. Durable Camwear will not dent, ensuring an accurate measurement every time.



CODE	CAPACITY	CASE PACK
100MCCW	1 qt.	12
200MCCW	2 qts.	12
400MCCW	4 qts.	1

InStock Color: Clear (135).

HIGH HEAT MEASURING CUPS AND COVER

Withstands temperatures ranging from -40° to 375°F.



CODE	DESCRIPTION	CASE PACK
200MCH	2 qts. Measuring Cup	1
400MCH	4 qts. Measuring Cup	1
MCCH	Universal Cover (fits both cups)	1

STORESAFE® FOOD ROTATION LABELS

Label inventory and create a proper First In First Out food storage system. Label and adhesive dissolve in less than 30 seconds and will not build up in drains.



CASE CODE	23SLB250	23SLB6250
LABEL SIZE	2" x 3"	2" x 3"
CASE PACK	24 rolls, 250 labels per roll	6 rolls, 250 labels per roll

FOOD STORAGE BOXES AND LIDS

Safe storage solutions available in clear Camwear® or economical polyethylene with snap tight lids that won't come off in transport.



- Crystal clear, durable Camwear allows for product identification.
- Stain and odor resistant with a smooth surface that is easy to clean.
- Poly storage boxes are made of impact, stain and chemical resistant material.



CODE	DIMENSIONS	APPROX. CAPACITY	CASE PACK
Camwear			
18269CW	18" x 26" x 9"	13.0 gal.	4
182612CW	18" x 26" x 12"	17.0 gal.	4
182615CW	18" x 26" x 15"	22.0 gal.	3
1826CCW Flat Lid	18" x 26"	—	6
Poly Boxes / BPA Free			
18269P	18" x 26" x 9"	13.0 gal.	6
182612P	18" x 26" x 12"	17.0 gal.	4
182615P	18" x 26" x 15"	22.0 gal.	3
1826CP Flat Lid	18" x 26"	—	6

Camwear color: Clear (135). **Poly color:** Natural White (148).
Camwear and Poly lids are not interchangeable.

INSULATED BEVERAGE SERVERS

Provide hot or cold beverages in any location on the correctional facility campus. Accessories for these products offer versatility for different operations.

CAMTAINERS®

Cambro Camtainers can hold, transport and serve hot or cold beverages. The drip-proof recessed spigot offers easy self-service access. The units securely stack during transport and storage and also have a sturdy plastic latch.



CODE	APPROX. CAPACITY	7 OZ. CUPS	EXTERIOR DIM. D x W x H
100LCD	1½ gal.	27	11½" x 10¾" x 17¼"
250LCD	2½ gal.	45	16½" x 9" x 18¾"
500LCD	4¾ gal.	86	16½" x 9" x 24¼"
1000LCD	11¼ gal.	214	20¾" x 16¼" x 24¾"

ULTRA CAMTAINERS®

Ultra Camtainers offer the same temperature and transport characteristics of the Camtainers, but feature easy-to-use nylon latches.





CODE	APPROX. CAPACITY	7 OZ. CUPS	EXTERIOR DIM. D x W x H
UC250	2¾ gal.	50	16¾" x 11¾" x 19¾"
UC500	5¼ gal.	96	16¾" x 11¾" x 26¾"
UC1000	10½ gal.	192	20½" x 16¼" x 25¾"

WAREWASHING

Easily transport clean or dirty dinnerware with Cambro's Warewashing products. From versatile bussing carts to all-in-one Camracks®, these products save resources and labor.

CAMRACK® SYSTEM


Wash, Store and Transport
In One Sanitary Unit
with Camracks.



Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying.



The closed external walls are designed for optimum cleaning and storage, keeping fingers and contaminants out and reducing risk of breakage and injury.



The Camrack Cover seals from the top while the enclosed Camdolly® seals from the bottom. This dolly is made with durable casters that can transport tumblers and dinnerware over many types of terrain.

Please contact your Cambro Representative for help in sizing Camracks for your drinkware.

SERVICE CART PRO AND SERVICE CARTS

All-purpose versatile, durable and dependable workhorses, these carts are ideal for transporting smaller equipment items and ingredients around the facility. Choose from models with open or enclosed sides.



CODE	OVERALL CASTER DIAMETER/TYPE	DIMENSIONS L x W x H
Service Cart Pro		
SC337	6", 2 rigid, 2 swivel with brake	41½" x 23¾" x 37"
SC337S	6", 4 swivel with brake	41½" x 23¾" x 37"
Service Cart Pro Optional Accessories		
QCSB	Small Quick Connect Bin	16" x 7" x 12¾"
QCTB	Large Quick Connect Bin	16" x 7" x 21¾"
Open Carts		
BC225*	3", 2 fixed, 2 swivel, 1 w/brake	28" x 16" x 32¼"
BC2254S*	3", 4 swivel, 1 w/brake	28" x 16" x 32¼"
BC230	5", 2 fixed, 2 swivel, 1 w/brake	33¼" x 20" x 34½"
BC2304S	5", 4 swivel, 1 w/brake	33¼" x 20" x 34½"
BC235	5", 2 fixed, 2 swivel, 1 w/brake	37¼" x 21½" x 34½"
BC2354S	5", 4 swivel, 1 w/brake	37¼" x 21½" x 34½"
Enclosed Carts		
BC330	5", 2 fixed, 2 swivel, 1 w/brake	33¾" x 20" x 34¾"
BC3304S	5", 4 swivel, 1 w/brake	33¾" x 20" x 34¾"

Case Pack: 1 Service Cart Pro Loading Capacity: 600 lbs.

Open and Enclosed Carts Loading Capacity: 500 lbs. *Loading Capacity 350 lbs.



SC337



QCSB



QCTB



BC225



BC330

MOBILE HANDWASH STATION

The Mobile Handwash Station brings sanitation and hygiene to any location, with no hookups needed.



Wide sink basin provides plenty of space for washing hands. With a foot-pump activated water spout and automatic soap dispensers, everything is hands-free. Wastewater tank holds over 20 gallons.

CODE	DESCRIPTION
MHWS18	Mobile Handwash Station
Case Pack: 1 Color: Charcoal Gray (615).	

3-IN-1 HANDWASH STATION

The 3-in-1 Handwash Station provides peace of mind during food service operations, protecting both staff and customers indoor and outdoor.

The Ultra-Durable, Insulated Camtainer® provides 5 gallons of warm water, maintaining recommended water temperature for 4+ hours. Simply strap on the included paper towel holder to dispense liquid soap and a standard roll of paper towels, with minimal surface contact.



HWAPR110

500LCD110

LCDES
Easy Serve
Dispenser

R500LCD110



HWS31

3-in-1 Hand Wash Station includes:

CODE	DESCRIPTION
500LCD110	1 each, Camtainer, black
R500LCD110	1 each, Riser, black
HWAPR110	1 each, Paper towel roll holder in black with LCDES Easy Serve Dispenser

Case Pack: 1 Color: Black (110).

Access our DIGITAL CATALOG



Scan the QR code or visit
cambro.com/catalog



Replacement Parts: Visit Cambro.com/parts or contact Cambro Customer Service Department.

CAMBRO
www.cambro.com

Telephone: (714) 848-1555 Toll Free: (800) 854-7631 Customer Service: (800) 833-3003
© Cambro Manufacturing Company 5801 Skylab Road, Huntington Beach, CA 92647
LIT2214 10/22

D092201